



YOU'VE HAD YOUR APPENDIX REMOVED BY KEYHOLE SURGERY

(laparascopic appendicectomy)

The following information will assist you with the follow up care required after your operation.

Dressings

- You may have dressings covering three or four places
- These dressings are waterproof and it is okay to shower with them on.
- Your surgeon will tell you when you should take the dressing off (usually five to six days after the operation)
- The stitches will usually dissolve by themselves. The surgeon will tell you if your stitches are different.

Pain relief

- You may have pain at the sites where the operation was done. Take regular pain relief as advised by your surgeon
- You may feel pain on the tips of your shoulders. This will normally disappear within 24-48 hours.
- If you put hot packs on your shoulder and take paracetamol, this may help with any pain.

Restrictions of activities

To assist your healing and safety, we recommend that you:

- Do not do anything strenuous for four to six weeks
- Do not lift anything heavier than 3 kilos for four to six weeks
- Do not drive until your surgeon thinks it is safe. Please check your car insurance policy to make sure there is nothing about driving after an operation).
- Do not have a bath or swim until the wounds have healed to prevent infection

It is also important to remember to

- Dry your stomach area gently after a shower pat carefully with the towel and don't rub.
- Continue your deep breathing and leg exercises
- Gradually start normal light activities that do not cause you pain or discomfort.

INFORMATION





Your follow up appointment

You r follow up appointm	ent is:		
_ GP			
□ Outpatient <u>s</u>			
□Surgeon			

Seek Medical Advice if you experience any of the following

- Fluid from the wound site
- Fever
- Nausea and vomiting that does not settle within 24 hours
- Pain that is not relieved by the pain relief

If you have any concerns or questions, please contact your GP or ring the hospital on: **02 6244 2222 and ask to speak to the emergency department**

Accessibility

If you have difficulty reading a standard printed document and would like an alternative format, please phone 13 22 81.



If English is not your first language and you need the Translating and Interpreting Service (TIS), please call 13 14 50.

For further accessibility information, visit: www.health.act.gov.au/accessibility

www.health.act.gov.au | Phone: 132281 | Publication No XXXXX

© Australian Capital Territory, Canberra August 2016